



4-160 Hinge Pr05 180°



for adjacent cabinets, door bending 20mm, for surface mounted door

Advantages

- 180° Hinge for surface mounted door.
- 180° Opening angle even with adjacent doors.
- This hinge is completely interchangeable with the hinge on product system 4-150.

Attention:

- The shifted pivotpoint gives a larger radius.

Materials

a), a1) and a2)

- **Frame-part and door-part:** zinc die, chrome plated or black
- **Pivot:** stainless steel

a)

- **Pin:** steel, zinc plated

a1)

- **Pin:** stainless steel

a2)

- **Pin:** POM, natural



Hinge, zinc die, chrome plated

	Part Number	Door-thickness	Material pin	Installation type
a)	212-9007.00-00000	1,5 - 2,0 mm	steel, zinc plated	screw-on
a1)	212-9008.00-00000	1,5 - 2,0 mm	stainless steel	screw-on
a2)	212-9009.00-00000	1,5 - 2,0 mm	POM	screw-on
a)	212-9507.00-00000	2,5 - 3,2 mm	steel, zinc plated	screw-on
a1)	212-9508.00-00000	2,5 - 3,2 mm	stainless steel	screw-on
a2)	212-9509.00-00000	2,5 - 3,2 mm	POM	screw-on

Hinge, zinc die, black

	Part Number	Door-thickness	Material pin	Installation type
a)	212-9010.00-00000	1,5 - 2,0 mm	steel, zinc plated	screw-on
a1)	212-9011.00-00000	1,5 - 2,0 mm	stainless steel	screw-on
a2)	212-9012.00-00000	1,5 - 2,0 mm	POM	screw-on
a)	212-9510.00-00000	2,5 - 3,2 mm	steel, zinc plated	screw-on
a1)	212-9511.00-00000	2,5 - 3,2 mm	stainless steel	screw-on
a2)	212-9512.00-00000	2,5 - 3,2 mm	POM	screw-on

Complementary products

6-040 **Serrated Screws**

