

5-125 Sponge Rubber Tapes EPDM / CR



Advantages

- Rectangular seals made of EPDM or CR.
- EPDM seals (black and light grey) are type-tested according to the UL standards UL 157 und UL 50E.
- **Density:** CR 0,55±0.05g/cm³, EPDM 6±0.1g/cm³.
- Seals without glue are available from stock.
- **Seals from product groups 269, 272 and 273** are self-adhesive on one side. They are non-stretching.
- **ATTENTION:** The glue on the self-adhesive seal is only an assembling aid.
- **Packaging:**
- The rectangular seals are delivered in the specified packaging units.
- The self-adhesive seals are available within 3 weeks.

Materials

- **Rectangular seals:** EPDM or CR

Remarks

If permanent fixing is requested please choose seals with Acrylic Foam Tape from the product groups **274 EPDM black, 275 EPDM light grey or 277 CR black**. **Articles are not on stock**, price and delivery time on request.
The shelf life for Seals with glue is approx. 6 months.



Rectangular Seals, EPDM, light grey

Part Number	Width W	Height H	Packaging unit
270-0802.00-00000	8,0 mm	2,0 mm	100,0 m
270-1002.00-00000	10,0 mm	2,0 mm	100,0 m
270-1502.00-00000	15,0 mm	2,0 mm	100,0 m
270-2002.00-00000	20,0 mm	2,0 mm	100,0 m
270-2502.00-00000	25,0 mm	2,0 mm	50,0 m
270-5002.00-00000	50,0 mm	2,0 mm	50,0 m
270-0503.00-00000	5,0 mm	3,0 mm	100,0 m

270-1003.00-00000	10,0 mm	3,0 mm	100,0 m
270-1503.00-00000	15,0 mm	3,0 mm	100,0 m
270-1803.00-00000	18,0 mm	3,0 mm	100,0 m
270-2003.00-00000	20,0 mm	3,0 mm	100,0 m
270-3003.00-00000	30,0 mm	3,0 mm	50,0 m
270-4003.00-00000	40,0 mm	3,0 mm	50,0 m
270-5003.00-00000	50,0 mm	3,0 mm	50,0 m
270-0604.00-00000	6,0 mm	4,0 mm	100,0 m
270-0804.00-00000	8,0 mm	4,0 mm	100,0 m
270-1004.00-00000	10,0 mm	4,0 mm	100,0 m
270-1204.00-00000	12,0 mm	4,0 mm	100,0 m
270-1504.00-00000	15,0 mm	4,0 mm	100,0 m
270-2004.00-00000	20,0 mm	4,0 mm	100,0 m
270-2504.00-00000	25,0 mm	4,0 mm	50,0 m
270-3004.00-00000	30,0 mm	4,0 mm	50,0 m
270-4004.00-00000	40,0 mm	4,0 mm	50,0 m
270-5004.00-00000	50,0 mm	4,0 mm	50,0 m
270-0505.00-00000	5,0 mm	5,0 mm	100,0 m
270-1005.00-00000	10,0 mm	5,0 mm	100,0 m
270-1205.00-00000	12,0 mm	5,0 mm	100,0 m
270-1505.00-00000	15,0 mm	5,0 mm	50,0 m
270-2005.00-00000	20,0 mm	5,0 mm	50,0 m
270-2505.00-00000	25,0 mm	5,0 mm	50,0 m
270-3005.00-00000	30,0 mm	5,0 mm	50,0 m
270-4005.00-00000	40,0 mm	5,0 mm	50,0 m
270-5005.00-00000	50,0 mm	5,0 mm	25,0 m
270-6005.00-00000	60,0 mm	5,0 mm	25,0 m
270-0606.00-00000	6,0 mm	6,0 mm	100,0 m
270-1006.00-00000	10,0 mm	6,0 mm	100,0 m
270-1206.00-00000	12,0 mm	6,0 mm	100,0 m
270-1506.00-00000	15,0 mm	6,0 mm	100,0 m
270-2006.00-00000	20,0 mm	6,0 mm	50,0 m
270-2506.00-00000	25,0 mm	6,0 mm	50,0 m
270-3006.00-00000	30,0 mm	6,0 mm	50,0 m
270-3506.00-00000	35,0 mm	6,0 mm	25,0 m

270-4006.00-00000	40,0 mm	6,0 mm	25,0 m
270-5006.00-00000	50,0 mm	6,0 mm	25,0 m
270-1007.00-00000	10,0 mm	7,0 mm	100,0 m
270-1507.00-00000	15,0 mm	7,0 mm	50,0 m
270-2007.00-00000	20,0 mm	7,0 mm	50,0 m
270-0808.00-00000	8,0 mm	8,0 mm	100,0 m
270-1008.00-00000	10,0 mm	8,0 mm	100,0 m
270-1208.00-00000	12,0 mm	8,0 mm	50,0 m
270-1508.00-00000	15,0 mm	8,0 mm	100,0 m
270-1608.00-00000	16,0 mm	8,0 mm	50,0 m
270-1808.00-00000	18,0 mm	8,0 mm	50,0 m
270-2008.00-00000	20,0 mm	8,0 mm	50,0 m
270-2508.00-00000	25,0 mm	8,0 mm	50,0 m
270-3008.00-00000	30,0 mm	8,0 mm	50,0 m
270-4008.00-00000	40,0 mm	8,0 mm	50,0 m
270-5008.00-00000	50,0 mm	8,0 mm	50,0 m
270-1609.00-00000	16,0 mm	9,0 mm	50,0 m
270-2309.00-00000	23,0 mm	9,0 mm	50,0 m
270-1010.00-00000	10,0 mm	10,0 mm	50,0 m
270-1510.00-00000	15,0 mm	10,0 mm	50,0 m
270-1610.00-00000	16,0 mm	10,0 mm	50,0 m
270-1810.00-00000	18,0 mm	10,0 mm	50,0 m
270-2010.00-00000	20,0 mm	10,0 mm	50,0 m
270-2510.00-00000	25,0 mm	10,0 mm	50,0 m
270-3010.00-00000	30,0 mm	10,0 mm	25,0 m
270-3510.00-00000	35,0 mm	10,0 mm	25,0 m
270-4010.00-00000	40,0 mm	10,0 mm	25,0 m
270-5010.00-00000	50,0 mm	10,0 mm	25,0 m
270-6010.00-00000	60,0 mm	10,0 mm	25,0 m
270-7010.00-00000	70,0 mm	10,0 mm	25,0 m
270-1210.00-00000	12,0 mm	10,0 mm	50,0 m
270-1212.00-00000	12,0 mm	12,0 mm	50,0 m
270-1512.00-00000	15,0 mm	12,0 mm	50,0 m
270-1515.00-00000	15,0 mm	15,0 mm	50,0 m
270-2012.00-00000	20,0 mm	12,0 mm	50,0 m

270-2512.00-00000	25,0 mm	12,0 mm	50,0 m
270-4012.00-00000	40,0 mm	12,0 mm	25,0 m
270-2015.00-00000	20,0 mm	15,0 mm	25,0 m
270-2515.00-00000	25,0 mm	15,0 mm	25,0 m
270-3015.00-00000	30,0 mm	15,0 mm	25,0 m
270-3515.00-00000	35,0 mm	15,0 mm	25,0 m
270-4015.00-00000	40,0 mm	15,0 mm	25,0 m
270-4515.00-00000	45,0 mm	15,0 mm	25,0 m
270-5015.00-00000	50,0 mm	15,0 mm	25,0 m
270-3016.00-00000	30,0 mm	16,0 mm	25,0 m
270-1818.00-00000	18,0 mm	18,0 mm	25,0 m
270-2518.00-00000	25,0 mm	18,0 mm	25,0 m
270-2020.00-00000	20,0 mm	20,0 mm	25,0 m
270-2520.00-00000	25,0 mm	20,0 mm	25,0 m
270-3020.00-00000	30,0 mm	20,0 mm	25,0 m
270-4020.00-00000	40,0 mm	20,0 mm	25,0 m
270-4520.00-00000	45,0 mm	20,0 mm	25,0 m
270-5020.00-00000	50,0 mm	20,0 mm	25,0 m
270-6020.00-00000	60,0 mm	20,0 mm	10,0 m
270-2525.00-00000	25,0 mm	25,0 mm	25,0 m
270-3025.00-00000	30,0 mm	25,0 mm	25,0 m
270-3525.00-00000	35,0 mm	25,0 mm	25,0 m
270-4025.00-00000	40,0 mm	25,0 mm	25,0 m
270-3030.00-00000	30,0 mm	30,0 mm	20,0 m
270-4030.00-00000	40,0 mm	30,0 mm	15,0 m
270-5030.00-00000	50,0 mm	30,0 mm	15,0 m
270-4040.00-00000	40,0 mm	40,0 mm	10,0 m
270-5040.00-00000	50,0 mm	40,0 mm	10,0 m
270-5045.00-00000	50,0 mm	45,0 mm	10,0 m
270-5050.00-00000	50,0 mm	50,0 mm	10,0 m

Rectangular Seals, EPDM, black

Part Number	Width W	Height H	Packaging unit
-------------	---------	----------	----------------

272-1515.00-00000	15,0 mm	15,0 mm	50,0 m
272-0802.00-00000	8,0 mm	2,0 mm	100,0 m
272-1002.00-00000	10,0 mm	2,0 mm	100,0 m
272-1502.00-00000	15,0 mm	2,0 mm	100,0 m
272-2002.00-00000	20,0 mm	2,0 mm	100,0 m
272-2502.00-00000	25,0 mm	2,0 mm	50,0 m
272-5002.00-00000	50,0 mm	2,0 mm	50,0 m
272-0503.00-00000	5,0 mm	3,0 mm	100,0 m
272-1003.00-00000	10,0 mm	3,0 mm	100,0 m
272-1503.00-00000	15,0 mm	3,0 mm	100,0 m
272-1803.00-00000	18,0 mm	3,0 mm	100,0 m
272-2003.00-00000	20,0 mm	3,0 mm	100,0 m
272-3003.00-00000	30,0 mm	3,0 mm	50,0 m
272-4003.00-00000	40,0 mm	3,0 mm	50,0 m
272-5003.00-00000	50,0 mm	3,0 mm	50,0 m
272-0604.00-00000	6,0 mm	4,0 mm	100,0 m
272-0804.00-00000	8,0 mm	4,0 mm	100,0 m
272-1004.00-00000	10,0 mm	4,0 mm	100,0 m
272-1204.00-00000	12,0 mm	4,0 mm	100,0 m
272-1504.00-00000	15,0 mm	4,0 mm	100,0 m
272-2004.00-00000	20,0 mm	4,0 mm	100,0 m
272-2504.00-00000	25,0 mm	4,0 mm	50,0 m
272-3004.00-00000	30,0 mm	4,0 mm	50,0 m
272-4004.00-00000	40,0 mm	4,0 mm	50,0 m
272-5004.00-00000	50,0 mm	4,0 mm	50,0 m
272-0505.00-00000	5,0 mm	5,0 mm	100,0 m
272-1005.00-00000	10,0 mm	5,0 mm	100,0 m
272-1205.00-00000	12,0 mm	5,0 mm	100,0 m
272-1505.00-00000	15,0 mm	5,0 mm	50,0 m
272-2005.00-00000	20,0 mm	5,0 mm	50,0 m
272-2505.00-00000	25,0 mm	5,0 mm	50,0 m
272-3005.00-00000	30,0 mm	5,0 mm	50,0 m
272-4005.00-00000	40,0 mm	5,0 mm	50,0 m
272-5005.00-00000	50,0 mm	5,0 mm	25,0 m
272-6005.00-00000	60,0 mm	5,0 mm	25,0 m

272-0606.00-00000	6,0 mm	6,0 mm	100,0 m
272-1006.00-00000	10,0 mm	6,0 mm	100,0 m
272-1206.00-00000	12,0 mm	6,0 mm	100,0 m
272-1506.00-00000	15,0 mm	6,0 mm	100,0 m
272-2006.00-00000	20,0 mm	6,0 mm	50,0 m
272-2506.00-00000	25,0 mm	6,0 mm	50,0 m
272-3006.00-00000	30,0 mm	6,0 mm	50,0 m
272-3506.00-00000	35,0 mm	6,0 mm	25,0 m
272-4006.00-00000	40,0 mm	6,0 mm	25,0 m
272-5006.00-00000	50,0 mm	6,0 mm	25,0 m
272-1007.00-00000	10,0 mm	7,0 mm	100,0 m
272-1507.00-00000	15,0 mm	7,0 mm	50,0 m
272-2007.00-00000	20,0 mm	7,0 mm	50,0 m
272-0808.00-00000	8,0 mm	8,0 mm	100,0 m
272-1008.00-00000	10,0 mm	8,0 mm	100,0 m
272-1208.00-00000	12,0 mm	8,0 mm	50,0 m
272-1508.00-00000	15,0 mm	8,0 mm	100,0 m
272-1608.00-00000	16,0 mm	8,0 mm	50,0 m
272-1808.00-00000	18,0 mm	8,0 mm	50,0 m
272-2008.00-00000	20,0 mm	8,0 mm	50,0 m
272-2508.00-00000	25,0 mm	8,0 mm	50,0 m
272-3008.00-00000	30,0 mm	8,0 mm	50,0 m
272-4008.00-00000	40,0 mm	8,0 mm	50,0 m
272-5008.00-00000	50,0 mm	8,0 mm	50,0 m
272-1609.00-00000	16,0 mm	9,0 mm	50,0 m
272-2309.00-00000	23,0 mm	9,0 mm	50,0 m
272-1010.00-00000	10,0 mm	10,0 mm	50,0 m
272-1510.00-00000	15,0 mm	10,0 mm	50,0 m
272-1610.00-00000	16,0 mm	10,0 mm	50,0 m
272-1810.00-00000	18,0 mm	10,0 mm	50,0 m
272-2010.00-00000	20,0 mm	10,0 mm	50,0 m
272-2510.00-00000	25,0 mm	10,0 mm	50,0 m
272-3010.00-00000	30,0 mm	10,0 mm	25,0 m
272-3510.00-00000	35,0 mm	10,0 mm	25,0 m
272-4010.00-00000	40,0 mm	10,0 mm	25,0 m

272-5010.00-00000	50,0 mm	10,0 mm	25,0 m
272-6010.00-00000	60,0 mm	10,0 mm	25,0 m
272-7010.00-00000	70,0 mm	10,0 mm	25,0 m
272-1210.00-00000	12,0 mm	10,0 mm	50,0 m
272-1212.00-00000	12,0 mm	12,0 mm	50,0 m
272-1512.00-00000	15,0 mm	12,0 mm	50,0 m
272-2012.00-00000	20,0 mm	12,0 mm	50,0 m
272-2512.00-00000	25,0 mm	12,0 mm	50,0 m
272-4012.00-00000	40,0 mm	12,0 mm	25,0 m
272-2015.00-00000	20,0 mm	15,0 mm	25,0 m
272-2515.00-00000	25,0 mm	15,0 mm	25,0 m
272-3015.00-00000	30,0 mm	15,0 mm	25,0 m
272-3515.00-00000	35,0 mm	15,0 mm	25,0 m
272-4015.00-00000	40,0 mm	15,0 mm	25,0 m
272-4515.00-00000	45,0 mm	15,0 mm	25,0 m
272-5015.00-00000	50,0 mm	15,0 mm	25,0 m
272-3016.00-00000	30,0 mm	16,0 mm	25,0 m
272-1818.00-00000	18,0 mm	18,0 mm	25,0 m
272-2518.00-00000	25,0 mm	18,0 mm	25,0 m
272-2020.00-00000	20,0 mm	20,0 mm	25,0 m
272-2520.00-00000	25,0 mm	20,0 mm	25,0 m
272-3020.00-00000	30,0 mm	20,0 mm	25,0 m
272-4020.00-00000	40,0 mm	20,0 mm	25,0 m
272-4520.00-00000	45,0 mm	20,0 mm	25,0 m
272-5020.00-00000	50,0 mm	20,0 mm	25,0 m
272-6020.00-00000	60,0 mm	20,0 mm	10,0 m
272-2525.00-00000	25,0 mm	25,0 mm	25,0 m
272-3025.00-00000	30,0 mm	25,0 mm	25,0 m
272-3525.00-00000	35,0 mm	25,0 mm	25,0 m
272-4025.00-00000	40,0 mm	25,0 mm	25,0 m
272-3030.00-00000	30,0 mm	30,0 mm	20,0 m
272-4030.00-00000	40,0 mm	30,0 mm	15,0 m
272-5030.00-00000	50,0 mm	30,0 mm	15,0 m
272-4040.00-00000	40,0 mm	40,0 mm	10,0 m
272-5040.00-00000	50,0 mm	40,0 mm	10,0 m

272-5045.00-00000	50,0 mm	45,0 mm	10,0 m
272-5050.00-00000	50,0 mm	50,0 mm	10,0 m

Rectangular Seals,EPDM, light grey, self-adhesive

Part Number	Width W	Height H	Packaging unit
271-0802.00-00000	8,0 mm	2,0 mm	100,0 m
271-1002.00-00000	10,0 mm	2,0 mm	100,0 m
271-1502.00-00000	15,0 mm	2,0 mm	100,0 m
271-2002.00-00000	20,0 mm	2,0 mm	100,0 m
271-2502.00-00000	25,0 mm	2,0 mm	50,0 m
271-5002.00-00000	50,0 mm	2,0 mm	50,0 m
271-0503.00-00000	5,0 mm	3,0 mm	100,0 m
271-1003.00-00000	10,0 mm	3,0 mm	100,0 m
271-1503.00-00000	15,0 mm	3,0 mm	100,0 m
271-1803.00-00000	18,0 mm	3,0 mm	100,0 m
271-2003.00-00000	20,0 mm	3,0 mm	100,0 m
271-3003.00-00000	30,0 mm	3,0 mm	50,0 m
271-4003.00-00000	40,0 mm	3,0 mm	50,0 m
271-5003.00-00000	50,0 mm	3,0 mm	50,0 m
271-0604.00-00000	6,0 mm	4,0 mm	100,0 m
271-0804.00-00000	8,0 mm	4,0 mm	100,0 m
271-1004.00-00000	10,0 mm	4,0 mm	100,0 m
271-1204.00-00000	12,0 mm	4,0 mm	100,0 m
271-1504.00-00000	15,0 mm	4,0 mm	100,0 m
271-2004.00-00000	20,0 mm	4,0 mm	100,0 m
271-2504.00-00000	25,0 mm	4,0 mm	50,0 m
271-3004.00-00000	30,0 mm	4,0 mm	50,0 m
271-4004.00-00000	40,0 mm	4,0 mm	50,0 m
271-5004.00-00000	50,0 mm	4,0 mm	50,0 m
271-0505.00-00000	5,0 mm	5,0 mm	100,0 m
271-1005.00-00000	10,0 mm	5,0 mm	100,0 m
271-1205.00-00000	12,0 mm	5,0 mm	100,0 m
271-1505.00-00000	15,0 mm	5,0 mm	50,0 m

271-2005.00-00000	20,0 mm	5,0 mm	50,0 m
271-2505.00-00000	25,0 mm	5,0 mm	50,0 m
271-3005.00-00000	30,0 mm	5,0 mm	50,0 m
271-4005.00-00000	40,0 mm	5,0 mm	50,0 m
271-5005.00-00000	50,0 mm	5,0 mm	25,0 m
271-6005.00-00000	60,0 mm	5,0 mm	25,0 m
271-0606.00-00000	6,0 mm	6,0 mm	100,0 m
271-1006.00-00000	10,0 mm	6,0 mm	100,0 m
271-1206.00-00000	12,0 mm	6,0 mm	100,0 m
271-1506.00-00000	15,0 mm	6,0 mm	100,0 m
271-2006.00-00000	20,0 mm	6,0 mm	50,0 m
271-2506.00-00000	25,0 mm	6,0 mm	50,0 m
271-3006.00-00000	30,0 mm	6,0 mm	50,0 m
271-3506.00-00000	35,0 mm	6,0 mm	25,0 m
271-4006.00-00000	40,0 mm	6,0 mm	25,0 m
271-5006.00-00000	50,0 mm	6,0 mm	25,0 m
271-1007.00-00000	10,0 mm	7,0 mm	100,0 m
271-1507.00-00000	15,0 mm	7,0 mm	50,0 m
271-2007.00-00000	20,0 mm	7,0 mm	50,0 m
271-0808.00-00000	8,0 mm	8,0 mm	100,0 m
271-1008.00-00000	10,0 mm	8,0 mm	100,0 m
271-1208.00-00000	12,0 mm	8,0 mm	50,0 m
271-1508.00-00000	15,0 mm	8,0 mm	100,0 m
271-1608.00-00000	16,0 mm	8,0 mm	50,0 m
271-1808.00-00000	18,0 mm	8,0 mm	50,0 m
271-2008.00-00000	20,0 mm	8,0 mm	50,0 m
271-2508.00-00000	25,0 mm	8,0 mm	50,0 m
271-3008.00-00000	30,0 mm	8,0 mm	50,0 m
271-4008.00-00000	40,0 mm	8,0 mm	50,0 m
271-5008.00-00000	50,0 mm	8,0 mm	50,0 m
271-1609.00-00000	16,0 mm	9,0 mm	50,0 m
271-2309.00-00000	23,0 mm	9,0 mm	50,0 m
271-1010.00-00000	10,0 mm	10,0 mm	50,0 m
271-1510.00-00000	15,0 mm	10,0 mm	50,0 m
271-1610.00-00000	16,0 mm	10,0 mm	50,0 m

271-1810.00-00000	18,0 mm	10,0 mm	50,0 m
271-2010.00-00000	20,0 mm	10,0 mm	50,0 m
271-2510.00-00000	25,0 mm	10,0 mm	50,0 m
271-3010.00-00000	30,0 mm	10,0 mm	25,0 m
271-3510.00-00000	35,0 mm	10,0 mm	25,0 m
271-4010.00-00000	40,0 mm	10,0 mm	25,0 m
271-5010.00-00000	50,0 mm	10,0 mm	25,0 m
271-6010.00-00000	60,0 mm	10,0 mm	25,0 m
271-7010.00-00000	70,0 mm	10,0 mm	25,0 m
271-1210.00-00000	12,0 mm	10,0 mm	50,0 m
271-1212.00-00000	12,0 mm	12,0 mm	50,0 m
271-1512.00-00000	15,0 mm	12,0 mm	50,0 m
271-2012.00-00000	20,0 mm	12,0 mm	50,0 m
271-2512.00-00000	25,0 mm	12,0 mm	50,0 m
271-4012.00-00000	40,0 mm	12,0 mm	25,0 m
271-1515.00-00000	15,0 mm	15,0 mm	50,0 m
271-2015.00-00000	20,0 mm	15,0 mm	25,0 m
271-2515.00-00000	25,0 mm	15,0 mm	25,0 m
271-3015.00-00000	30,0 mm	15,0 mm	25,0 m
271-3515.00-00000	35,0 mm	15,0 mm	25,0 m
271-4015.00-00000	40,0 mm	15,0 mm	25,0 m
271-4515.00-00000	45,0 mm	15,0 mm	25,0 m
271-5015.00-00000	50,0 mm	15,0 mm	25,0 m
271-3016.00-00000	30,0 mm	16,0 mm	25,0 m
271-1818.00-00000	18,0 mm	18,0 mm	25,0 m
271-2518.00-00000	25,0 mm	18,0 mm	25,0 m
271-2020.00-00000	20,0 mm	20,0 mm	25,0 m
271-2520.00-00000	25,0 mm	20,0 mm	25,0 m
271-3020.00-00000	30,0 mm	20,0 mm	25,0 m
271-4020.00-00000	40,0 mm	20,0 mm	25,0 m
271-4520.00-00000	45,0 mm	20,0 mm	25,0 m
271-5020.00-00000	50,0 mm	20,0 mm	25,0 m
271-6020.00-00000	60,0 mm	20,0 mm	10,0 m
271-2525.00-00000	25,0 mm	25,0 mm	25,0 m
271-3025.00-00000	30,0 mm	25,0 mm	25,0 m

271-3525.00-00000	35,0 mm	25,0 mm	25,0 m
271-4025.00-00000	40,0 mm	25,0 mm	25,0 m
271-3030.00-00000	30,0 mm	30,0 mm	20,0 m
271-4030.00-00000	40,0 mm	30,0 mm	15,0 m
271-5030.00-00000	50,0 mm	30,0 mm	15,0 m
271-4040.00-00000	40,0 mm	40,0 mm	10,0 m
271-5040.00-00000	50,0 mm	40,0 mm	10,0 m
271-5045.00-00000	50,0 mm	45,0 mm	10,0 m
271-5050.00-00000	50,0 mm	50,0 mm	10,0 m

Rectangular Seals, EPDM, black self-adhesive

Part Number	Width W	Height H	Packaging unit
273-0802.00-00000	8,0 mm	2,0 mm	100,0 m
273-1002.00-00000	10,0 mm	2,0 mm	100,0 m
273-1502.00-00000	15,0 mm	2,0 mm	100,0 m
273-2002.00-00000	20,0 mm	2,0 mm	100,0 m
273-5002.00-00000	50,0 mm	2,0 mm	50,0 m
273-2502.00-00000	25,0 mm	2,0 mm	50,0 m
273-0503.00-00000	5,0 mm	3,0 mm	100,0 m
273-1003.00-00000	10,0 mm	3,0 mm	100,0 m
273-1503.00-00000	15,0 mm	3,0 mm	100,0 m
273-1803.00-00000	18,0 mm	3,0 mm	100,0 m
273-2003.00-00000	20,0 mm	3,0 mm	100,0 m
273-3003.00-00000	30,0 mm	3,0 mm	50,0 m
273-4003.00-00000	40,0 mm	3,0 mm	50,0 m
273-5003.00-00000	50,0 mm	3,0 mm	50,0 m
273-0604.00-00000	6,0 mm	4,0 mm	100,0 m
273-0804.00-00000	8,0 mm	4,0 mm	100,0 m
273-1004.00-00000	10,0 mm	4,0 mm	100,0 m
273-1204.00-00000	12,0 mm	4,0 mm	100,0 m
273-1504.00-00000	15,0 mm	4,0 mm	100,0 m
273-2004.00-00000	20,0 mm	4,0 mm	100,0 m
273-2504.00-00000	25,0 mm	4,0 mm	50,0 m

273-3004.00-00000	30,0 mm	4,0 mm	50,0 m
273-4004.00-00000	40,0 mm	4,0 mm	50,0 m
273-5004.00-00000	50,0 mm	4,0 mm	50,0 m
273-0505.00-00000	5,0 mm	5,0 mm	100,0 m
273-1005.00-00000	10,0 mm	5,0 mm	100,0 m
273-1205.00-00000	12,0 mm	5,0 mm	100,0 m
273-1505.00-00000	15,0 mm	5,0 mm	50,0 m
273-2005.00-00000	20,0 mm	5,0 mm	50,0 m
273-2505.00-00000	25,0 mm	5,0 mm	50,0 m
273-3005.00-00000	30,0 mm	5,0 mm	50,0 m
273-4005.00-00000	40,0 mm	5,0 mm	50,0 m
273-5005.00-00000	50,0 mm	5,0 mm	25,0 m
273-6005.00-00000	60,0 mm	5,0 mm	25,0 m
273-0606.00-00000	6,0 mm	6,0 mm	100,0 m
273-1006.00-00000	10,0 mm	6,0 mm	100,0 m
273-1206.00-00000	12,0 mm	6,0 mm	100,0 m
273-1506.00-00000	15,0 mm	6,0 mm	100,0 m
273-2006.00-00000	20,0 mm	6,0 mm	50,0 m
273-2506.00-00000	25,0 mm	6,0 mm	50,0 m
273-3006.00-00000	30,0 mm	6,0 mm	50,0 m
273-3506.00-00000	35,0 mm	6,0 mm	25,0 m
273-4006.00-00000	40,0 mm	6,0 mm	25,0 m
273-5006.00-00000	50,0 mm	6,0 mm	25,0 m
273-1007.00-00000	10,0 mm	7,0 mm	100,0 m
273-1507.00-00000	15,0 mm	7,0 mm	50,0 m
273-2007.00-00000	20,0 mm	7,0 mm	50,0 m
273-0808.00-00000	8,0 mm	8,0 mm	100,0 m
273-1008.00-00000	10,0 mm	8,0 mm	100,0 m
273-1208.00-00000	12,0 mm	8,0 mm	50,0 m
273-1508.00-00000	15,0 mm	8,0 mm	100,0 m
273-1608.00-00000	16,0 mm	8,0 mm	50,0 m
273-1808.00-00000	18,0 mm	8,0 mm	50,0 m
273-2008.00-00000	20,0 mm	8,0 mm	50,0 m
273-2508.00-00000	25,0 mm	8,0 mm	50,0 m
273-3008.00-00000	30,0 mm	8,0 mm	50,0 m

273-4008.00-00000	40,0 mm	8,0 mm	50,0 m
273-5008.00-00000	50,0 mm	8,0 mm	50,0 m
273-1609.00-00000	16,0 mm	9,0 mm	50,0 m
273-2309.00-00000	23,0 mm	9,0 mm	50,0 m
273-1010.00-00000	10,0 mm	10,0 mm	50,0 m
273-1510.00-00000	15,0 mm	10,0 mm	50,0 m
273-1610.00-00000	16,0 mm	10,0 mm	50,0 m
273-1810.00-00000	18,0 mm	10,0 mm	50,0 m
273-2010.00-00000	20,0 mm	10,0 mm	50,0 m
273-2510.00-00000	25,0 mm	10,0 mm	50,0 m
273-3010.00-00000	30,0 mm	10,0 mm	25,0 m
273-3510.00-00000	35,0 mm	10,0 mm	25,0 m
273-4010.00-00000	40,0 mm	10,0 mm	25,0 m
273-5010.00-00000	50,0 mm	10,0 mm	25,0 m
273-6010.00-00000	60,0 mm	10,0 mm	25,0 m
273-7010.00-00000	70,0 mm	10,0 mm	25,0 m
273-1210.00-00000	12,0 mm	10,0 mm	50,0 m
273-1212.00-00000	12,0 mm	12,0 mm	50,0 m
273-1512.00-00000	15,0 mm	12,0 mm	50,0 m
273-2012.00-00000	20,0 mm	12,0 mm	50,0 m
273-2512.00-00000	25,0 mm	12,0 mm	50,0 m
273-4012.00-00000	40,0 mm	12,0 mm	25,0 m
273-1515.00-00000	15,0 mm	15,0 mm	50,0 m
273-1818.00-00000	18,0 mm	18,0 mm	25,0 m
273-2015.00-00000	20,0 mm	15,0 mm	25,0 m
273-2515.00-00000	25,0 mm	15,0 mm	25,0 m
273-3015.00-00000	30,0 mm	15,0 mm	25,0 m
273-3515.00-00000	35,0 mm	15,0 mm	25,0 m
273-4015.00-00000	40,0 mm	15,0 mm	25,0 m
273-4515.00-00000	45,0 mm	15,0 mm	25,0 m
273-5015.00-00000	50,0 mm	15,0 mm	25,0 m
273-3016.00-00000	30,0 mm	16,0 mm	25,0 m
273-2518.00-00000	25,0 mm	18,0 mm	25,0 m
273-2020.00-00000	20,0 mm	20,0 mm	25,0 m
273-2520.00-00000	25,0 mm	20,0 mm	25,0 m

273-3020.00-00000	30,0 mm	20,0 mm	25,0 m
273-4020.00-00000	40,0 mm	20,0 mm	25,0 m
273-4520.00-00000	45,0 mm	20,0 mm	25,0 m
273-5020.00-00000	50,0 mm	20,0 mm	25,0 m
273-6020.00-00000	60,0 mm	20,0 mm	10,0 m
273-2525.00-00000	25,0 mm	25,0 mm	25,0 m
273-3025.00-00000	30,0 mm	25,0 mm	25,0 m
273-3525.00-00000	35,0 mm	25,0 mm	25,0 m
273-4025.00-00000	40,0 mm	25,0 mm	25,0 m
273-3030.00-00000	30,0 mm	30,0 mm	20,0 m
273-4030.00-00000	40,0 mm	30,0 mm	15,0 m
273-5030.00-00000	50,0 mm	30,0 mm	15,0 m
273-4040.00-00000	40,0 mm	40,0 mm	10,0 m
273-5040.00-00000	50,0 mm	40,0 mm	10,0 m
273-5045.00-00000	50,0 mm	45,0 mm	10,0 m
273-5050.00-00000	50,0 mm	50,0 mm	10,0 m

Rectangular Seals, Neoprene, black

Part Number	Width W	Height H	Packaging unit
268-0802.00-00000	8,0 mm	2,0 mm	100,0 m
268-1002.00-00000	10,0 mm	2,0 mm	100,0 m
268-1502.00-00000	15,0 mm	2,0 mm	100,0 m
268-1003.00-00000	10,0 mm	3,0 mm	100,0 m
268-1503.00-00000	15,0 mm	3,0 mm	100,0 m
268-1803.00-00000	18,0 mm	3,0 mm	100,0 m
268-2003.00-00000	20,0 mm	3,0 mm	100,0 m
268-3003.00-00000	30,0 mm	3,0 mm	50,0 m
268-0804.00-00000	8,0 mm	4,0 mm	100,0 m
268-1004.00-00000	10,0 mm	4,0 mm	100,0 m
268-1204.00-00000	12,0 mm	4,0 mm	100,0 m
268-1504.00-00000	15,0 mm	4,0 mm	100,0 m
268-2004.00-00000	20,0 mm	4,0 mm	100,0 m
268-3004.00-00000	30,0 mm	4,0 mm	50,0 m

268-0505.00-00000	5,0 mm	5,0 mm	100,0 m
268-1005.00-00000	10,0 mm	5,0 mm	100,0 m
268-1505.00-00000	15,0 mm	5,0 mm	50,0 m
268-2005.00-00000	20,0 mm	5,0 mm	50,0 m
268-2505.00-00000	25,0 mm	5,0 mm	50,0 m
268-3005.00-00000	30,0 mm	5,0 mm	50,0 m
268-4005.00-00000	40,0 mm	5,0 mm	50,0 m
268-5005.00-00000	50,0 mm	5,0 mm	25,0 m
268-0606.00-00000	6,0 mm	6,0 mm	100,0 m
268-1006.00-00000	10,0 mm	6,0 mm	100,0 m
268-1206.00-00000	12,0 mm	6,0 mm	100,0 m
268-1506.00-00000	15,0 mm	6,0 mm	100,0 m
268-2006.00-00000	20,0 mm	6,0 mm	50,0 m
268-2506.00-00000	25,0 mm	6,0 mm	50,0 m
268-3506.00-00000	35,0 mm	6,0 mm	25,0 m
268-0808.00-00000	8,0 mm	8,0 mm	100,0 m
268-1008.00-00000	10,0 mm	8,0 mm	100,0 m
268-1208.00-00000	12,0 mm	8,0 mm	50,0 m
268-1508.00-00000	15,0 mm	8,0 mm	100,0 m
268-1608.00-00000	16,0 mm	8,0 mm	50,0 m
268-1808.00-00000	18,0 mm	8,0 mm	50,0 m
268-2008.00-00000	20,0 mm	8,0 mm	50,0 m
268-2508.00-00000	25,0 mm	8,0 mm	50,0 m
268-3008.00-00000	30,0 mm	8,0 mm	50,0 m
268-1010.00-00000	10,0 mm	10,0 mm	50,0 m
268-1510.00-00000	15,0 mm	10,0 mm	50,0 m
268-2010.00-00000	20,0 mm	10,0 mm	50,0 m
268-2510.00-00000	25,0 mm	10,0 mm	50,0 m
268-3010.00-00000	30,0 mm	10,0 mm	25,0 m
268-4010.00-00000	40,0 mm	10,0 mm	25,0 m
268-5010.00-00000	50,0 mm	10,0 mm	25,0 m
268-1210.00-00000	12,0 mm	10,0 mm	50,0 m
268-1212.00-00000	12,0 mm	12,0 mm	50,0 m
268-1512.00-00000	15,0 mm	12,0 mm	50,0 m
268-2012.00-00000	20,0 mm	12,0 mm	50,0 m

268-1515.00-00000	15,0 mm	15,0 mm	50,0 m
268-2015.00-00000	20,0 mm	15,0 mm	25,0 m
268-2515.00-00000	25,0 mm	15,0 mm	25,0 m
268-3015.00-00000	30,0 mm	15,0 mm	25,0 m
268-4015.00-00000	40,0 mm	15,0 mm	25,0 m
268-3016.00-00000	30,0 mm	16,0 mm	25,0 m
268-1818.00-00000	18,0 mm	18,0 mm	25,0 m
268-2518.00-00000	25,0 mm	18,0 mm	25,0 m
268-2020.00-00000	20,0 mm	20,0 mm	25,0 m
268-2520.00-00000	25,0 mm	20,0 mm	25,0 m
268-3020.00-00000	30,0 mm	20,0 mm	25,0 m
268-4020.00-00000	40,0 mm	20,0 mm	25,0 m
268-5020.00-00000	50,0 mm	20,0 mm	25,0 m
268-2525.00-00000	25,0 mm	25,0 mm	25,0 m
268-3025.00-00000	30,0 mm	25,0 mm	25,0 m
268-4025.00-00000	40,0 mm	25,0 mm	25,0 m
268-3030.00-00000	30,0 mm	30,0 mm	20,0 m
268-4030.00-00000	40,0 mm	30,0 mm	15,0 m
268-5030.00-00000	50,0 mm	30,0 mm	15,0 m
268-4040.00-00000	40,0 mm	40,0 mm	10,0 m


Sponge Rubber Tapes, Neoprene, black, self-adhesive

Part Number	Width W	Height H	Packaging unit
269-0802.00-00000	8,0 mm	2,0 mm	100,0 m
269-1002.00-00000	10,0 mm	2,0 mm	100,0 m
269-1502.00-00000	15,0 mm	2,0 mm	100,0 m
269-1003.00-00000	10,0 mm	3,0 mm	100,0 m
269-1503.00-00000	15,0 mm	3,0 mm	100,0 m
269-1803.00-00000	18,0 mm	3,0 mm	100,0 m
269-2003.00-00000	20,0 mm	3,0 mm	100,0 m
269-3003.00-00000	30,0 mm	3,0 mm	50,0 m
269-0804.00-00000	8,0 mm	4,0 mm	100,0 m
269-1004.00-00000	10,0 mm	4,0 mm	100,0 m

269-1204.00-00000	12,0 mm	4,0 mm	100,0 m
269-1504.00-00000	15,0 mm	4,0 mm	100,0 m
269-2004.00-00000	20,0 mm	4,0 mm	100,0 m
269-3004.00-00000	30,0 mm	4,0 mm	50,0 m
269-0505.00-00000	5,0 mm	5,0 mm	100,0 m
269-1005.00-00000	10,0 mm	5,0 mm	100,0 m
269-1505.00-00000	15,0 mm	5,0 mm	50,0 m
269-2005.00-00000	20,0 mm	5,0 mm	50,0 m
269-2505.00-00000	25,0 mm	5,0 mm	50,0 m
269-3005.00-00000	30,0 mm	5,0 mm	50,0 m
269-4005.00-00000	40,0 mm	5,0 mm	50,0 m
269-5005.00-00000	50,0 mm	5,0 mm	25,0 m
269-0606.00-00000	6,0 mm	6,0 mm	100,0 m
269-1006.00-00000	10,0 mm	6,0 mm	100,0 m
269-1206.00-00000	12,0 mm	6,0 mm	100,0 m
269-1506.00-00000	15,0 mm	6,0 mm	100,0 m
269-2006.00-00000	20,0 mm	6,0 mm	50,0 m
269-2506.00-00000	25,0 mm	6,0 mm	50,0 m
269-3506.00-00000	35,0 mm	6,0 mm	25,0 m
269-0808.00-00000	8,0 mm	8,0 mm	100,0 m
269-1008.00-00000	10,0 mm	8,0 mm	100,0 m
269-1010.00-00000	10,0 mm	10,0 mm	50,0 m
269-1208.00-00000	12,0 mm	8,0 mm	50,0 m
269-1508.00-00000	15,0 mm	8,0 mm	100,0 m
269-1608.00-00000	16,0 mm	8,0 mm	50,0 m
269-1808.00-00000	18,0 mm	8,0 mm	50,0 m
269-2008.00-00000	20,0 mm	8,0 mm	50,0 m
269-2508.00-00000	25,0 mm	8,0 mm	50,0 m
269-3008.00-00000	30,0 mm	8,0 mm	50,0 m
269-1510.00-00000	15,0 mm	10,0 mm	50,0 m
269-2010.00-00000	20,0 mm	10,0 mm	50,0 m
269-2510.00-00000	25,0 mm	10,0 mm	50,0 m
269-3010.00-00000	30,0 mm	10,0 mm	25,0 m
269-4010.00-00000	40,0 mm	10,0 mm	25,0 m
269-5010.00-00000	50,0 mm	10,0 mm	25,0 m

269-1210.00-00000	12,0 mm	10,0 mm	50,0 m
269-1212.00-00000	12,0 mm	12,0 mm	50,0 m
269-1512.00-00000	15,0 mm	12,0 mm	50,0 m
269-2012.00-00000	20,0 mm	12,0 mm	50,0 m
269-1515.00-00000	15,0 mm	15,0 mm	50,0 m
269-2015.00-00000	20,0 mm	15,0 mm	25,0 m
269-2515.00-00000	25,0 mm	15,0 mm	25,0 m
269-3015.00-00000	30,0 mm	15,0 mm	25,0 m
269-4015.00-00000	40,0 mm	15,0 mm	25,0 m
269-3016.00-00000	30,0 mm	16,0 mm	25,0 m
269-1818.00-00000	18,0 mm	18,0 mm	25,0 m
269-2518.00-00000	25,0 mm	18,0 mm	25,0 m
269-2020.00-00000	20,0 mm	20,0 mm	25,0 m
269-2520.00-00000	25,0 mm	20,0 mm	25,0 m
269-3020.00-00000	30,0 mm	20,0 mm	25,0 m
269-4020.00-00000	40,0 mm	20,0 mm	25,0 m
269-5020.00-00000	50,0 mm	20,0 mm	25,0 m
269-2525.00-00000	25,0 mm	25,0 mm	25,0 m
269-3025.00-00000	30,0 mm	25,0 mm	25,0 m
269-4025.00-00000	40,0 mm	25,0 mm	25,0 m
269-3030.00-00000	30,0 mm	30,0 mm	20,0 m
269-4030.00-00000	40,0 mm	30,0 mm	15,0 m
269-5030.00-00000	50,0 mm	30,0 mm	15,0 m
269-4040.00-00000	40,0 mm	40,0 mm	10,0 m

Rectangular profile



Rectangular profile self-adhesive (SA= installation aid)

